



84-FE420 Fisheye Camera, 4MP 360 Degree View

Call For Pricing



Introduction

The 84-FE420 is a fisheye camera that allows you to monitor all angles of a location using just one camera. The distorted hemispherical image of the fisheye camera will be converted into the conventional rectilinear projection. Without installing any software, you can watch live view and utilize functions such as motion detection, privacy mask, and alert notification through the web interface using a browser. In addition, the 84-FE420 seamlessly integrates with the GV System, providing advanced monitoring and video management features. This fisheye IP Camera is designed to be mounted on the ceiling, wall or ground. There are two ways to mount the 84-FE420 on the ceiling, Hard ceiling mount and In ceiling mount. The in ceiling mount allows the 84-FE420 to be mounted into the ceiling, revealing a small portion of the camera.

Key Features

- 4M progressive scan CMOS
- H.264 and MJPEG
- Day / Night function
- Provides 360 and 180 degrees panorama view
- No mechanical moving parts
- Built in Web server for monitoring through IE browser
- Virtual PTZ function
- Auto Pan function
- Different angle of view accessible by multiple users at the same time
- Playback from any view angle and zoom level
- Privacy mask
- Visual automation
- Tampering alarm
- Built in microphone and speaker
- One sensor input and alarm output
- DC 12V / AC 24V / PoE
- Micro SD/SDHC Card Slot
- 16 languages on web interface
- Operating system requirements: 64-bit, Windows 7, Server 2008, Internet Explorer version 7.x or later
- Camera ships with full featured 32 channel NVR software


Fisheye Source Image



Single View



2 x 180° View



360° View



Quad View



Ordering Information

84-FE420 4 Megapixel Fisheye Camera
with 360 Degree View

Key Features

- 1.3M progressive scan CMOS
- H.264, MPEG 4 and MJPEG
- Provides 360 and 180 degrees panorama view
- No mechanical moving parts
- Built in Web server for monitoring through IE browser
- Virtual PTZ function
- Auto Pan function
- Different angle of view accessible by multiple users at the same time
- Playback from any view angle and zoom level
- Privacy mask
- Visual automation
- Tampering alarm
- Built in microphone and speaker
- One sensor input and alarm output
- DC 12V / AC 24V / PoE
- Micro SD/SDHC Card Slot
- 16 languages on web interface
- Operating system requirements: 64-bit, Windows 7, Server 2008, Internet Explorer version 7.x or later
- Camera ships with full featured 32 channel NVR software

Ordering Information

84-FE110 1.3 Megapixel Fisheye Camera
with 360 Degree View

84-FE110

Fisheye Camera, 1.3MP 360 Degree View



Call For Pricing



Key Features

- 5MP progressive scan CMOS
- H.264 and MJPEG
- Digital Object Tracking
- Wide Dynamic Range (WDR)
- Defog
- Electronic Day/Night function
- Provides 360 and 180 degrees panorama view
- No mechanical moving parts
- Built-in Web server for monitoring through IE browser
- Virtual PTZ function
- Auto Pan function
- Different angle of view accessible by multiple users at the same time
- Playback from any view angle and zoom level
- Privacy mask
- Visual automation
- Tampering alarm
- 2-way audio
- One sensor input and alarm output
- DC 12V / AC 24V / PoE
- Memory Card Slot
- 31 languages on Web interface
- ONVIF conformant

Ordering Information

84-FE520 5 Megapixel Fisheye Camera
with 360 Degree View

84-FE520

Fisheye Camera, 5MP 360 Degree View



Call For Pricing



Key Features

- 5MP progressive scan CMOS
- H.264 and MJPEG
- Digital Object Tracking
- Wide Dynamic Range (WDR)
- Defog
- Electronic Day/Night function
- Ingress protection (IP66)
- EN50155 compliance for rolling stock applications
- Vandal resistance (IK6)
- Provides 360 and 180 degrees panorama view
- No mechanical moving parts
- Built-in Web server for monitoring through IE browser
- Virtual PTZ function
- Auto Pan function
- Different angle of view accessible by multiple users at the same time
- Playback from any view angle and zoom level
- Privacy mask
- Visual automation
- Tampering alarm
- 2-way audio
- PoE
- Memory Card Slot
- 31 languages on Web interface
- ONVIF conformant

84-FER521

Rugged Outdoor Fisheye Camera, 5MP 360 Degree View



The GV-FER521 is an outdoor fisheye camera that allows you to monitor all angles of a location using just one camera. The distorted hemispherical image of the fisheye camera will be converted into the conventional rectilinear projection.

Without installing any software, you can watch live view and utilize functions such as motion detection, privacy mask, and alert notification through the Web interface using an IE browser. In addition, the GV-FER521 seamlessly integrates with the GV-System, providing advanced monitoring and video management features. The GV-Fisheye IP Camera is designed to be mounted on the ceiling, wall or ground.

Ordering Information

84-FER521 Rugged Outdoor 5 Megapixel Fisheye Camera
with 360 Degree View



84-PTZ01

H.264 Indoor Day/Night PTZ IP Camera

Key Features

- 1/4" CCD image sensor
- Dual streams from H.264, MJPEG and MPEG4
- Up to 30 fps at 704 x 480
- Up to 25 fps at 704 x 576
- 10x optical zoom lens
- 10x digital zoom
- Pan and tilt (Pan: -175° ~ 175° ; Tilt: -45° ~ 90°)
- Built-in / external microphone
- 2-way audio
- One sensor input and alarm output
- Micro SD/SDHC Card Slot
- Input-triggered Preset points
- Motion Detection
- Privacy mask
- IP address filtering
- 3GPP / ISMA
- DC 12 V / AC 24 V / PoE
- Day / Night function
- 16 languages on Web interface
- Camera ships with full featured 32 channel NVR software

**Call For
Pricing**



Introduction

The 84-PTZ01-N01 camera is a ceiling-mount device that provides panning, tilting and zooming functions. The camera is designed to monitor a wide area and also to focus on a specific part on the live view when suspicious events occur.

Ordering Information

84-PTZ01 H.264 Indoor Day/Night PTZ
IP Camera